

List of active clinical trials for thymic epithelial tumors (TETs) as of September 29, 2023

Treatment	Study Title	Disease setting	Phase	Country	NCT	Study contact
Neoadjuvant treatment						
Chemotherapy/toripalimab (anti-PD-1)	Clinical study of neoadjuvant PD-1 antibody (Toripalimab) plus chemotherapy for locally advanced thymic epithelial tumor	Stage III-IVA T and TC	2	China	NCT04667793	zhangpeng1121@tongji.edu.cn
Cisplatin/docetaxel/pembrolizumab (anti-PD-1)	neoadjuvant_thymic Epithelial Tumor	Stage III-IVA T and TC	2	South Korea	NCT03858582	keunchil.park@samsung.com
Radiation/envolizumab (subcutaneous PD-L1)	Neoadjuvant Treatment For Locally Advanced Thymic Cancer	Stage III-IVA TC	2	China	NCT06019468	yujm96@163.com zdp1992@163.com
First line systemic treatment for advanced disease						
Carboplatin/paclitaxel +/- ramucirumab (VEGFR2 inhibitor)	Carboplatin and paclitaxel with or without ramucirumab in treating patients with locally advanced, recurrent, or metastatic thymic cancer that cannot be removed by surgery.	Treatment naïve advanced TC	2	USA	NCT03694002	astsao@mdanderson.org
Carboplatin/Taxane/pembrolizumab (anti-PD-1)	Single-arm study to carbo-paclitaxel/ nab-paclitaxel combined with pembrolizumab as the first line therapy in treating patients with locally advanced or metastatic invasive thymoma and thymic carcinoma	Advanced T and TC	4	China	NCT04554524	Zhou.yongan@163.com
Carboplatin/paclitaxel/lenvatinib/pembrolizumab (multitargeted tyrosine kinase inhibitor/anti-PD-1)	First-line CBDCA/PTX/LEN/Pembrolizumab Combination for Previously Untreated Advanced or Recurrent Thymic Carcinomas (Artemis)	Advanced TC	2	Japan	NCT05832827	ncch2109_jimukyoku@ispc.or.jp
Second line and beyond systemic treatment for advanced disease						
Nivolumab +/- ipilimumab (anti-PD-1/anti-CTLA4)	Nivolumab in patients with type B3 thymoma and thymic Carcinoma (NIVOTHYM)	Type B3 T and TC	2	Belgium, France, Netherlands, Spain, Switzerland, UK	NCT03134118	1525@eortc.org
Nivolumab/vorolanib (anti-PD-1/multi-kinase VEGF/ PDGFR inhibitor)	Phase I/II Eval Safety & Prelim Activity Nivolumab Comb W/Vorolanib Pts W/Refractory Thoracic Tumors	TC among other thoracic cancers	1/2	USA	NCT03583086	NA
Avelumab (anti-PD-L1)	A pilot study to investigate the safety and clinical activity of avelumab (MSB0010718C) in thymoma and thymic carcinoma after progression on platinum-based chemotherapy.	Advanced T and TC	2	USA	NCT03076554	shannon.swift@nih.gov rajana@mail.nih.gov
Bintrafusp Alfa (bifunctional fusion protein targeting TGF-β and PD-L1)	Bintrafusp Alfa (M7824) in subjects with thymoma and thymic carcinoma	Advanced T and TC	2	USA	NCT04417660	shannon.swift@nih.gov rajana@mail.nih.gov
Sunitinib (multi-targeted receptor tyrosine kinase)	Trial of sunitinib in patients with type B3 thymoma or thymic carcinoma in second and further lines (Style Trial)	Type B3 T and TC	2	Italy	NCT03449173	marina.garassino@istitutotumor.mi.it rosaria.gallucci@istitutotumor.mi.it

PT-112 (pyrophosphate-platinum conjugate)	PT-112 in subjects with thymoma and thymic carcinoma	Advanced T and TC	2	USA	NCT05104736	shannon.swift@nih.gov rajana@mail.nih.gov
KC1036 (AXL/ FLT3/VEGFR2 inhibitor)	A study of KC1036 in patients with advanced thymic tumors	Advanced T and TC	2	China	NCT05683886	Wangys75@gmail.com
Pembrolizumab (anti-PD-1)	Pembrolizumab in Treating Participants With Unresectable Thymoma or Thymic Cancer	Advanced T and TC	1	USA	NCT03295227	astsao@mdanderson.org
Chemotherapy plus cetuximab (Anti-EGFR antibody)	Chemotherapy plus cetuximab followed by surgical resection in patients with locally advanced or recurrent thymoma or thymic carcinoma.	Stage II-IVA thymoma or thymic carcinoma	2	USA	NCT01025089	NA
Pembrolizumab/lenvatinib (anti-PD-1/multitargeted tyrosine kinase inhibitor)	Combination of pembrolizumab and lenvatinib, in pre-treated thymic carcinoma patients (PECATI)	Type B3 T and TC	2	France, Italy, Spain	NCT04710628	neus.crespo@medsir.org alicia.garcia@medsir.org
177Lu-DOTA-TATE/Olaparib (Radiopharmaceutical for PRRT/PARP inhibitor)	177Lu-DOTA-TATE and olaparib in somatostatin receptor positive tumours (LuPARP)	T among other tumors	1	Sweden	NCT04375267	andreas.hallqvist@vgregion.se annika.baan@vgregion.se
KN046 (PD-L1/CTLA-4 bispecific antibody)	KN046 (a humanized PD-L1/CTLA4 bispecific single domain Fc fusion protein antibody) in subjects with thymic carcinoma.	Advanced TC	2	China	NCT04469725	chestgcp@126.com
Atezolizumab (Anti-PD-L1)	A study to investigate the efficacy and safety of atezolizumab in previously-treated patients with advanced thymic carcinoma.	Advanced TC	2	China	NCT04321330	NA
Pembrolizumab/sunitinib (Anti-PD-1/ multitargeted tyrosine kinase inhibitor)	Pembrolizumab and sunitinib malate in treating participants with refractory metastatic or unresectable thymic cancer	Advanced TC	2	USA	NCT03463460	OSUCCCclinicaltrials@osumc.edu Carly.Pilcher@osumc.edu
YY-20394 (oral phosphatidylinositol 3-kinase delta [PI3Kδ] inhibitor)	A phase 2 clinical study of YY-20394 in patients with relapsed/refractory thymic cancer.	Advanced T and TC	2	NA	NCT04975061	NA
VMD-928 (TrkA inhibitor)	Selective TrkA inhibitor VMD-928 to treat TrkA overexpression driven solid tumors or lymphoma.	Advanced T and TC among other tumors	1	USA	NCT03556228	OM@VMOncology.com dadenaik@TD2inc.com
KFA115 +/- tislelizumab (undisclosed mechanism/anti-PD-1)	A study of safety and efficacy of KFA115 alone and KFA115 in combination with Tislelizumab in patients with select advanced cancers.	Advanced TC among other tumors	1	USA, Canada, Singapore, Hong Kong Taiwan	NCT05544929	novartis.email@novartis.com
SO-C101 +/- pembrolizumab (IL15/IL-15Rα sushi + domain fusion protein / anti-PD-1)	Study of SO-C101 and SO-C101 in combination with pembro in adult patients with advanced/metastatic solid tumors.	Advanced TC among other tumors	1	USA, Czechia, France, Spain	NCT04234113	Kapsa@sotio.com
Hyperthermic intrathoracic chemotherapy (HITOC)	Intrathoracic chemotherapy for TETs with pleural spread or recurrence (CHOICE)	T and TC with pleural spread or recurrence	NA	China	NCT05446935	ding.jiayong@zs-hospital.sh.cn

Radiotherapy						
Intensity-Modulated Pleural Radiation Therapy (IMPRINT)	A study of intensity-modulated pleural radiation therapy (IMPRINT) in people with thymic cancer that has spread to the lining of the lungs and chest.	T and TC with pleural involvement	2	USA	NCT05354570	shephera@mskcc.org
Chemoradiotherapy and thymosin α1	Hypofractionated chemoradiotherapy and thymosin α 1 in unresectable or recurrent thymic epithelial tumor	Unresectable or recurrent T and TC	2	China	NCT03663764	NA
Chemoradiation	A randomized phase III study of adjuvant radiotherapy versus adjuvant radiochemotherapy in patients with incomplete resection thymoma or thymic carcinoma.	Incompletely resected (R1 or R2) T and TC	3	China	NCT02633514	wukaiiang@aliyun.com wenxingfan@126.com
Adjuvant RT	Randomized, multicenter, phase III trial to assess conformal post-operative radiotherapy vs. surveillance after complete resection of stage II/III thymoma (RADIO-RYTHMIC)	Stage II/III T	3	France	NCT04731610	gilles.nyassemessene@curie.fr
Adjuvant RT	An open-label, multi-center, randomized phase III study of adjuvant radiotherapy for stage II/III thymoma after complete resection.	Stage II/III T	3	China	NCT02633553	wukaiiang@aliyun.com wenxingfan@126.com
RT plus rhGM-CSF	Abscopal effect of radiotherapy in combination with rhGM-CSF for advanced thymic epithelial tumours	Stage IV T and TC	2	China	NCT05407649	fanming@fudan.edu.cn
Proton radiotherapy	Study on proton radiotherapy of thymic malignancies (PROTHYM)	T and TC in the post-operative setting or in inoperable patients with localized disease	NA	Sweden	NCT04822077	jan.nyman@oncology.gu.se andreas.hallqvist@vgregion.se

NA=Not applicable, T= Thymoma, TC=Thymic carcinoma